



NEXUS
Nexus Corporation

Packaging that
Expresses
Quality that
Impresses

THERMOFORMING FILMS

Rigid Laminated Films

- PET/PE
- PET/EVOH/PE (High Barrier Films)
- Available in a Wide Range of Colours
- Thickness Range from 200 - 800 Microns
- Suitable for Freezer, Chiller & Ambient Storage
- High Bond Strength
- Easy Peel & Lock Seal Films



Flexible Co-Extruded Films

- PA/PE
- PA/EVOH/PE
- 5 Layer & 7 Layer Films with Water Quench Technology
- Thickness Range 50 - 250 Microns
- Exceptional Clarity
- Specialised Printed Bottom Webs
- Ease in processing, Low energy consumption



PRINTED LAMINATES & POUCHES

- 2 Ply, 3 Ply, 4 Ply Structures
- Solvent Based & Solvent Less Lamination
- 8 Colour Printing.
- In house Pouching, Spouting
- Shape Pouches with Zip
- Window Metalizing
- Registered Matt Finish
- Easy Peel Films for Lidding



VACUUM POUCHES

- Produced with 7 layer Co-extruded blown films with Water quench technology.
- No Gas Transmission.
- Low Water Vapour permeability.
- Excellent Puncture resistance.
- Superior protection and reduced wastages.
- Multicolor Printed Pouches.
- Gloss and Matt surface finish.
- Food certified materials.



Applications



Dairy



Snacks &
Confectionary



Ready to
Eat Food



Dry Fruits



Raw and
Processed Meat



Medical

Infrastructure

Head Quartered in Mumbai with production support facilities in Daman and Ambernath.

Daman Facility, BRC and ISO certified & SEDEX qualified. Ambernath facility ISO certified.

Products certified for Food Safety under EU & REACH Norms.

Extrusion : European Machines with A-B-A Structure.

Printing : 8 Colour Rotogravure.

Lamination : Solvent Based & Solvent-less.

Inhouse : Pouching & Spouting





NEXUS

Nexus Corporation

Bhargava House, 49 Marol Co-op, Industrial Estate,
M.V. Road, Andheri (E), Mumbai - 400059, India